



Certificate of Analysis

Created October 12, 2017

Product: Human Serum AB (Off the Clot)
0.1µm sterile-filtered

Catalog #: 100-318

Lot #: H08T001

Origin: United States (100%)

Manufacture Date: Sept 2017

Expiration Date: Sept 2022

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Biological Testing			
Endotoxin	USP<85>	< 10 EU/mL	<0.5 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	1.75mg/dL
Microbiological Testing			
Sterility			
Bacteria	USP<71>	Not Detected	Not Detected
Fungi		Not Detected	Not Detected
Mycoplasma	Barile, MF and Kern, J (1971)	Not Detected	Not Detected
Viral Testing			
21 CFR 610.40			
HBsAg		Non-Reactive	Non-Reactive
Anti-HCV		Non-Reactive	Non-Reactive
Anti-HIV-1/HIV-2		Non-Reactive	Non-Reactive
Syphilis		Negative	Negative
HBV-NAT		Not Detected	Not Detected
HIV-NAT		Not Detected	Not Detected
HCV-NAT		Not Detected	Not Detected
Physical Testing			
Osmolality	USP<785>	260-350 mOsm/kg	301 mOsm/kg
pH	USP<791>	Report	7.84



Biochemical Testing

Product: Human Serum AB (Off the Clot)
0.1µm sterile-filtered

Catalog #: 100-318
Lot #: H08T001
Origin: United States (100%)


Manufacture Date: Sept 2017
Expiration Date: Sept 2022

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Albumin		Test and Report	4.3 g/dL
ALT (SGPT)		Test and Report	14 U/L
AST (SGOT)		Test and Report	12 U/L
Bilirubin, Total		Test and Report	0.2 mg/dL
BUN		Test and Report	14 mg/dL
Calcium		Test and Report	2.33 mM
Chloride		Test and Report	105 mM
Cholesterol		Test and Report	164 mg/dL
Creatinine		Test and Report	0.96 mg/dL
Glucose		Test and Report	5.49 mM
Phosphorus		Test and Report	1.23 mM
Potassium		Test and Report	4.2 mM
Protein, Total	Biuret	Test and Report	6.9 g/dL
Sodium		Test and Report	140 mM
Triglycerides		Test and Report	1.13 mg/dL
Uric Acid		Test and Report	5.8 mg/dL

Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary for specific tests depending upon methodology and other variables, it is suggested that tests for which results are particularly important be repeated by the user of this product.

All human blood products are collected from stringently screened donors at FDA-licensed collection centers in the United States. All donors are tested and found to be negative for Indirect Antiglobulin. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance.

For further manufacturing or laboratory use. Not for human or animal consumption.



Created by



Verified by