



**CERTIFICATE OF ANALYSIS**  
**GemCell™ Human Serum AB**  
**(Catalog Number 100-512)**

**Lot Number:** H36Y00L

**Date of Manufacture:** Jan2020

**Origin:** United States

**Product Expiry:** Jan2025

For Cell culture, Further Manufacturing or Research use Only. Not for Direct Therapeutic Use.

**Storage Temperature:** ≤ -10°C

**Product description:** GemCell™ human serum AB is collected from healthy male donors of the AB serotype at FDA-licensed facilities located in the United States. Donor units are tested for infectious disease markers prior to processing and found to be non-reactive. Gemcell™ is converted to serum from human plasma using bovine thrombin and sterile-filtered through a 0.1 µm filter prior to freeze.

Test	Methodology	Specification	Analysis
<b>Biological Testing</b>			
Endotoxin	USP<85>, EP 2.6.14	< 10.0 EU/ mL	< 0.503 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1985)	<20.0 mg/ dL	7.6 mg/dL
<b>Microbiological Testing</b>			
Sterility	USP<71>, EP 2.6.1		
Bacteria		No Growth	No Growth
Fungi		No Growth	No Growth
Mycoplasma	Barile, MF and Kern, J (1971), EP 2.6.7	Not Detected	Not Detected
<b>Viral Testing</b>			
HBsAg	ABBOTT ChLIA	Non-Reactive	Non-Reactive
Anti-HCV	ABBOTT ChLIA	Non-Reactive	Non-Reactive
Anti-HIV-1/ HIV-2	ABBOTT ChLIA	Non-Reactive	Non-Reactive
Syphilis	ASI RPR	Negative	Negative
HBV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
HIV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
HCV-NAT	ROCHE NAT/ PCR	Not Detected	Not Detected
<b>Physical Testing</b>			
Osmolality	USP<785>, EP 2.2.35	260 – 350 mOsm/ kg	323
pH	USP<791>	Test and Report	7.98
<b>Biochemistry</b>			
Albumin		Test and Report	3.2 mg/dL
ALT (SGPT)		Test and Report	12 U/L
AST (SGOT)		Test and Report	15 U/L
Bilirubin, Total		Test and Report	0.2 mg/dL



Test	Methodology	Specification	Analysis
BUN		Test and Report	13 mg/dL
Calcium		Test and Report	>15.0 mg/dL
Chloride		Test and Report	110 mmol/L
Cholesterol		Test and Report	133 mg/dL
Creatinine		Test and Report	0.86 mg/dL
Glucose		Test and Report	96 mg/dL
Phosphorus		Test and Report	3.0 mg/dL
Potassium		Test and Report	3.7 mmol/L
Protein, Total	Biuret	Test and Report	5.0 g/L
Sodium		Test and Report	> 165 mmol/L
Triglycerides		Test and Report	99 mg/dL
Uric Acid		Test and Report	2.9 mg/dL

*All blood products are collected from stringently screened male donors at FDA-licensed collection centers located in the United States. This product is a pool of > 100 donor units and the viral testing is performed on the individual donor units. All other testing is performed on the final product pool prior to release. The bovine thrombin that is used as part of the conversion to serum is sourced from controlled herds located in the United States and the source cattle are ante and post-mortem inspected by a U.S. Veterinary Service Inspector where they were deemed free of infectious and contagious diseases. All animals used in the production of the thrombin were from a natural beef program in accordance with FDA regulations. The purified thrombin undergoes a pasteurization process where it is treated at 62°C ± 2°C for a period of 10 hours. This pasteurization process is validated by the vendor. Material is derived from human blood and should be considered biohazardous. Universal precautions should be used when handling this material.*

The testing that has been performed as part of this lot release has been reviewed by Quality Assurance personnel and has confirmed that the testing meets the specifications presented on this Certificate of Analysis.

Megha Khulasi  
Name

QA Associate III  
Title

24 Mar 2020  
Date