



**GEMINI**  
BIO-PRODUCTS

# Certificate of Analysis

Created May 31, 2017

**Product:** **GemCell™ Human Serum AB**  
0.1µm sterile-filtered

**Catalog #: 100-512**  
**Lot #: H71S001**  
**Origin: United States (100%)**

**Manufacture Date: Mar 2017**  
**Expiration Date: Mar 2022**

TEST	METHODOLOGY	SPECIFICATION	RESULTS
<b>Biological Testing</b>			
Endotoxin	USP<85>	< 10 EU/mL	<2.5 EU/mL
Hemoglobin	Fleming, AF and Woolf, AJ (1965)	<20.0 mg/dL	7.17 mg/dL
<b>Microbiological Testing</b>			
Sterility	USP<71>		
Bacteria		Not Detected	Not Detected
Fungi		Not Detected	Not Detected
Mycoplasma	Barile, MF and Kern, J (1971)	Not Detected	Not Detected
<b>Viral Testing</b>			
	21 CFR 610.40		
HBsAg		Non-Reactive	Non-Reactive
Anti-HCV		Non-Reactive	Non-Reactive
Anti-HIV-1/HIV-2		Non-Reactive	Non-Reactive
Syphilis		Negative	Negative
HBV-NAT		Not Detected	Not Detected
HIV-NAT		Not Detected	Not Detected
HCV-NAT		Not Detected	Not Detected
<b>Physical Testing</b>			
Osmolality	USP<785>	260-350 mOsm/kg	328 mOsm/kg
pH	USP<791>	Report	7.71



# Biochemical Testing

**Product:** GemCell™ Human Serum AB  
0.1µm sterile-filtered

**Catalog #: 100-512**  
**Lot #: H71S001**  
**Origin: United States (100%)**


**Manufacture Date: Mar 2017**  
**Expiration Date: Mar 2022**

TEST	METHODOLOGY	SPECIFICATION	RESULTS
Albumin		Test and Report	3.3 g/dL
ALT (SGPT)		Test and Report	15 U/L
AST (SGOT)		Test and Report	18 U/L
Bilirubin, Total		Test and Report	0.3 mg/dL
BUN		Test and Report	14 mg/dL
Calcium		Test and Report	>3.75 mM
Chloride		Test and Report	114 mM
Cholesterol		Test and Report	128 mg/dL
Creatinine		Test and Report	0.84 mg/dL
Glucose		Test and Report	5.22 mM
Phosphorus		Test and Report	0.94 mM
Potassium		Test and Report	3.7 mM
Protein, Total	Biuret	Test and Report	4.9 g/dL
Sodium		Test and Report	>165 mM
Triglycerides		Test and Report	74 mg/dL
Uric Acid		Test and Report	2.7 mg/dL

*Results shown were obtained by carefully performed methods believed to be reliable. However, since some results may vary for specific tests depending upon methodology and other variables, it is suggested that tests for which results are particularly important be repeated by the user of this product.*

*All human blood products are collected from stringently screened donors at FDA-licensed collection centers in the United States. All donors are tested and found to be negative for Indirect Antiglobulin. Precipitates may develop in this product upon freezing and/or thawing; this occurrence does not impact culture performance.*

*For further manufacturing or laboratory use. Not for human or animal consumption.*

  
Created by

  
Verified by